

1			1			1 2

*1

GB29743.2-2025

2

40

1

1.1

1	380VAC $\pm$ 10%	50 $\pm$ 1 HZ
---	------------------	---------------

2 -5 +45

3 $\leq 95\%$

4 0.4 0.7Mpa

1.2

1 7

2 5

1.3

1

2

1		2500mmx1000mmx2100mm	
2		1mbar /60	
3			

4		$\leq 1\text{mbar/min}$	
5		$<20\text{mbar}$	
6		10m	
7		$\leq 70\text{db}$	
8		$\geq 40\text{m}^3/\text{h}$	
9		1-100L	
10		0.0-999.9L	
11		1-4bar	
12		2-10min	
13		$\leq 2\text{mm}$	
14	/	/	
15			
16			
17		PLC+ 10	
18		0.4—0.5Mpa	
19			
20			

3

*3.1 1 PLC

1 1

*3.2 PLC

3.3

3.4 5

3.5

3.6

3.7

10

3.8

3.9

10CM

3.10

3.11

3.12

3.13

10m

*3.14

3.15

3.16

7

3.17

3.18

3.19

PLC

10

3.20

3.21

3.22 / /

3.23

3.24

3.25

3.26

3.27

*

1	1.	PLC	S7-1200	1	SIEMENS/ABB
	2.	DC	S7-1200	1	SIEMENS/ABB
	3.	A/D	S7-1200	1	SIEMENS/ABB
	4.		Smart1000/KTP1200	1	SIEMENS/ABB
	5.			1	
	6.				
2					

		16.			2		Y
		17.			2		FLOMEC/E+H
		18.			2		GRACO/
		19.			2		JINDE/IFM
		20.		100L	2		
		21.			2		KENTON/
5		22.		VQZ115	2		AirTAC/FESTO /SMC
		23.		AC30	2		AirTAC/FESTO /SMC
		24.			2		AirTAC/FESTO /SMC
6		25.			2		
		26.		10X12 10m	2		DMZ
		27.		10m	2		
7		28.			1		

1			2	
2			1	
3			1	
4			2	
5			5	

7.1

7.2

7.3

7.4

7.5

7.6

7.7

7.8

8.1

8.2

8.3

≥ 99 %

/

8.4

9.1

Q

7
8
9

v

Ne

3

4